

# SIUSBTS®

(formerly known as SIUSEDP®)

Possible applications  
and function description

**Tests of weapons and ammunition  
on the computer**

### SIUS AG

Im Langhag 1 | CH-8307 Effretikon | Switzerland  
Phone +41 52 354 60 60 | Fax +41 52 354 60 66  
www.sius.com | admin@sius.com



## Connection of a target with a PC/Laptop with SIUSBTS®

SIUSBTS® (Ballistics Test System) is generally used by the manufacturing industry (ammunition plants and weapon factories) and the military for quality control and evaluation of weapon and ammunition performance. Shooting clubs use the software as well, e.g. for testing weapons or creating and recording shot patterns.

The shooting data of a SIUS target are displayed and evaluated on a common Windows-based computer. The display and evaluation of the shooting data is provided by the software SIUSBTS®, which is delivered on a CD-ROM. According to its use, SIUSBTS® can be combined with all SIUS targets.

### More informations

<http://www.sius.com> > Products/Software



## Software


### Display and test system SIUSBTS®

The software for the display and test system SIUSBTS® must be installed on a common Windows-based computer and enables the viewing and controlling of the connected installation. The software allows the measurement of different parameters like radial distance, mean point of impact, height/width. Further individual requirements of the customer to the software can be adapted.

#### Minimum PC requirements:

- system Windows 7 / Windows 8
- 1.3 GHz processor
- 512 MB RAM
- 1.85 GB free space on harddisk
- one free USB port

The main user interface of SIUSBTS®, which is visible during shooting, is presented as follows:




A = shot pattern, point of impact and visualized parameters  
 B = legend and results of the calculated parameters

**SIUSBTS® Light Version**

The Light Version enables the use of general analytical functions and is suitable for most of the customers. The analysis includes the following parameters: radial distance, mean point of impact, height/width.

Features:

- Default parameters for measurement of radial distance, medium point of impact, height/width.
- Simultaneous connection of maximum one target.
- Manual storage and manual printing of the evaluated data.



Pos.	Article no.	Description
<b>Display and test system SIUSBTS</b>		
1	SIUSBTS-CD	Display and test system SIUSBTS (CD)
1	SIUSBTS-LIGHT	License for SIUSBTS-LIGHT
1	SNI210-LANE	USB-LON-Dongle (gelb)




## SIUSBTS® Pro-Version

The Pro Version is recommended if there are further requirements of shooting data evaluation then the general analytical functions (radial distance, mean point of impact, height/width).

Features:

- Default parameters for measurement of radiale distance, medium point of impact, height/width as well as development and adaption of further parameters due to individual requirements of the customer to the software
- Speed measuring
- Support free of charge
- Automatic storage and printing of the evaluated data



Pos.	Article no.	Description
<b>Display and test system SIUSBTS</b>		
1	SIUSBTS-CD	Display and test system SIUSBTS (CD)
1	SIUSBTS-PRO	License for SIUSBTS-PRO
1	SNI210-LANE	USB-LON-Dongle (gelb)

## Several examples of application

SIUSBTS® is versatile – some examples of application below.

### Installation for gunsmiths and sport shooters

- Detection system: specifically to weapon/ammunition (generally for distances up to 50m, e.g. targets LS10, HS10, S25/50)
- PC with USB-LON-Dongle
- SIUSBTS®-LIGHT

#### Purpose:


Precision tests of weapons and ammunition.

After completion of a shooting test, SIUSBTS® enables the possibility to transfer the shooting pattern in the desired front mask of a target. The evaluation of the single shots will be carried out on the basis of the chosen target front mask and is graphically represented in a printout (see figure below).

The user can easily identify the most appropriate ammunition for the tested weapon.



Scored with target "10 Meter Air Rifle":



**SIUSBTS®-LIGHT**

### Installation for ammunition plants and weapon factories


- Detection system: specifically to weapon/ammunition
- Velocity measuring bar VS100 (optional)
- PC with USB-LON-Dongle
- SIUSBTS®-PRO

#### Purpose:

Precision tests of weapons and ammunition.

The desired detection system can be chosen according to the tester's requirements. In addition, the evaluation can be complemented by customized parameters.

The system can be complemented by velocity measurements at different positions.



**SIUSBTS®-PRO**

## Installation for the US Army

- Detection system: target S310
- Speed measuring bar VS100 (on target)
- PC with USB-LON-Dongle
- SIUSBTS®-PRO

### Purpose:

Precision and velocity tests of weapons (big bore and ammunition) on target.

The weapon can be calibrated based on the measured data.

Under special conditions, it is also possible to use wireless communication. Distances up to 1000m can easily be reached.



SIUSBTS®-PRO

## Installation for the French Army

- Detection system: AC13 with TAP202
- PC with USB-LON-Dongle
- SIUSBTS®-PRO

### Purpose:

Precision tests of weapons (big bore). Verifying the functionality after maintenance and repair before delivery.

The generated shooting pattern must meet minimum criteria within a certain tolerance specifically for the tested weapon.

The pop-up target, TAP202, is used to test the weapon on the target. During the shooting test the target is folded down. This ensures a wearfree shooting test. In addition the detection system, AC13, enables testing of velocity as well.



SIUSBTS®-PRO



## **SIUS worldwide**

There are SIUS representatives all around the globe.

Find your local SIUS sales partner here:

**[www.sius.com/en/representatives](http://www.sius.com/en/representatives)**

